
Hyla

Designer:
Chris Dickinson

Released:
2012

Weights:
Regular

Supported Languages:

Afrikaans, Albanian, Asu, Basque, Bemba, Bena, Bosnian, Catalan, Chiga, Congo Swahili, Cornish, Croatian, Czech, Danish, Dutch, Embu, English, Esperanto, Estonian, Faroese, Filipino, Finnish, French, Galician, Ganda, German, Gusii, Hungarian, Icelandic, Indonesian, Irish, Italian, Jola-Fonyi, Kabuverdianu, Kalenjin, Kamba, Kikuyu, Kinyarwanda, Latvian, Lithuanian, Luo, Luyia, Machame, Makhwa-Meetto, Makonde, Malagasy, Malay, Maltese, Manx, Meru, Morisyen, North Ndebele, Norwegian Bokmål, Norwegian Nynorsk, Nyankole, Oromo, Polish, Portuguese, Rombo, Rundi, Rwa, Samburu, Sango, Sangu, Sena, Shambala, Shona, Slovak, Slovenian, Soga, Somali, Spanish, Swahili, Swedish, Swiss German, Taita, Teso, Vunjo, Welsh, Zulu

AaBb

Regular

HYDRODYNAMICISTS

MIELESTÄNI TEILLÄ ON SÖPÖ PRESIDENTTI

The wizard quickly jinxed the gnomes before they vapourized.

Regular

REORGANIZATIONS

ESTÁ BIEN, ESTÁ BIEN, VAMOS A VER A TUS PADRES

The wizard quickly jinxed the gnomes before they vapourized.

Regular – 9pt/12pt

When the quantity of sand to be washed does not exceed 15 to 30 cu. yds. per day the simplest method, perhaps, is to use a hose. Build a wooden tank or box, 8 ft. wide and 15 ft. long, the bottom having a slope of 8 ins. in the 15 ft. The sides should be about 8 ins. high at the lower end and rise gradually to 3 ft. in height at the upper end. Close the lower end of the tank with a board gate about 6 ins. in height and sliding in grooves so that it can be removed. Dump about 3 cu. yds. of sand into the upper end of the tank and play a 1-in. hose stream of water on it, the hose man standing at the lower end of the tank.

Regular – 12pt/15pt

When the quantity of sand to be washed does not exceed 15 to 30 cu. yds. per day the simplest method, perhaps, is to use a hose. Build a wooden tank or box, 8 ft. wide and 15 ft. long, the bottom having a slope of 8 ins. in the 15 ft. The sides should be about 8 ins. high at the lower end and rise gradually to 3 ft. in height at the upper end. Close the lower end of the tank with a board gate about 6 ins. in height and sliding in grooves so that it can be removed. Dump about 3 cu. yds. of sand into the upper end of the tank and play a 1-in. hose stream of water on it, the hose man standing at the lower end of the tank.

Tá'n aspick scughey dy tessnagh.

YOU'RE NO SPRING CHICKEN

snake oil

Reading the riot act

Pass With Flying Colours

PAN OUT

mind your own beeswax

MAD AS A HATTER

Here Today, Gone Tomorrow

Où est le placard?

Turncoat

Tá póit orm

